



| | |
|--|---|
| Part No | 90NR03J6-M06170 |
| Model Name | GA401II-HE241T |
| EAN Code | 4711081029519 |
| UPC Code | 195553029513 |
| Marketing Name | ROG Zephyrus G14 |
| Color | Eclipse Gray AniMe Matrix version |
| Dimension (W x D x H) | 32.4 x 22.0 x 1.99 ~ 1.99 cm |
| Weight | 1.70 Kg |
| Processor | AMD Ryzen™ 7 4800HS Processor 2.9 GHz (8M Cache, up to 4.2 GHz) |
| Chipset | N/A |
| Discrete/Optimus | Optimus |
| Graphic | NVIDIA® GeForce® GTX 1650 Ti |
| Graphic Memory | 4GB GDDR6 |
| IGPU | AMD VEGA Graphics |
| Panel Size | 14-inch |
| Resolution | FHD (1920 x 1080) 16:9 |
| Refresh Rate | 120Hz |
| Viewing Angle | 170/170 |
| Panel Tech | IPS-level |
| Brightness | 300 |
| Contrast | 1000:1 |
| NTSC % | 72% |
| SRGB % | 100% |
| Adobe % | 75.35% |
| Anti glare | anti-glare display |
| Adaptive-Sync technology | N/A |
| Pantone Validated | Yes |
| Total System Memory | 16GB DDR4 on board + 16GB DDR4-3200 SO-DIMM |
| On board memory | 16GB DDR4 on board |
| Memory Slot | 1x SO-DIMM slot |
| DIMM Memory | 16GB DDR4-3200 SO-DIMM |
| Memory Max. | 32GB |
| System Storage Installed | 1TB M.2 NVMe™ PCIe® 3.0 SSD |
| M.2 slots support either SATA and NVMe | 1 |
| M.2 SSD Support List | M.2 1TB G3x2 PCIe SSD M.2 512GB G3x2 PCIe SSD |
| LAN | N/A |

| | |
|-----------------------------|---|
| Wi-Fi/Bluetooth | Wi-Fi 6(802.11ax)+Bluetooth 5.0 (Dual band) 2*2 (*BT version may change with OS upgrades.) |
| I/O Ports | 1x USB 3.2 Gen 2 Type-C 2x USB 3.2 Gen 1 Type-A 1x Type C USB 3.2 Gen 2 with Power Delivery, Display Port and G-Sync//1x 3.5mm Combo Audio Jack |
| Thunderbolt | N/A |
| Display output | 1x HDMI 2.0b |
| Webcam | Optional |
| Mic | Built-in array microphone |
| Keyboard Type | Backlit Chiclet Keyboard |
| NumberPad | N/A |
| Aura Sync | N/A |
| Speakers | 2x 0.7W tweeter 2x 2.5W speaker with Smart Amp Technology |
| Audio Tech | Smart Amp Technology Dolby Atmos Software |
| Operating System | Windows 10 Home - ASUS recommends Windows 10 Pro for business |
| Office | 1-month trial for new Microsoft 365 customers. Credit card required. |
| FingerPrint | YES |
| Security | BIOS Administrator Password and User Password Protection Kensington Lock |
| Battery | 76WHrs, 4S1P, 4-cell Li-ion |
| Power | ø6.0, 180W AC Adapter, Output: 20V DC, 9A, 180W, Input: 100~240V AC, 50/60Hz universal |
| Bundled Peripherals | ROG sleeve for 14 |
| Reparability Index (for FR) | 6.1 |

